
Page 1 of 5 Serial No.: Titl PULSE OXIMETRY SpO2 DETERMIN—Margaret S. Mortz
41942-05462
Thomas R. Marsh
Tel: (3

Inv. .(s): Docket No.: Attorney:

Tel: (303) 338-0997



Serial No.: n/a Pag
Title PULSE OXIMETRY SpO2 DETERMINA ON

Invei. s): Margaret S. Mortz Docket No.: 41942-05462

Docket No.: 41942-05462
Attorney: Thomas R. Marsh Tel: (303) 338-0997

Page 2 of 5

FIG. 2.




FIG. 3.

PREFILTER RED, IR, AMBIENT

301

RECONSTRUCT RED, IR, AMBIENT

302

Serial No.: n/a Page 3 of 5
Title PULSE OXIMETRY SpO2 DETERMIN N

Inventor(s): Margaret S. Mortz
Docket No.: 41942-05462

Docket No.: 41942-05462 Attorney: Thomas R. Marsh

Tel: (303) 338-0997








FIG. 6.





Serial No.: 'e:


Page 4 of 5 PULSE OXIMETRY SpO2 DETER NATION

Margaret S. Mortz 41942-05462entor(s):

Docket No.: Thomas R. Marsh Attorney:

Tel: (303) 338-0997

FIG. 7.



Serial No.:

n/a

Page 5 of 5 PULSE OXIMETRY SpO2 DETERMIN TION
Margaret S. Mortz
41942-05462

Tit' Inv. _r(s):

Docket No.: Attorney:

Thomas R. Marsh

. Tel: (303) 338-0997

